


Compresores Herméticos Pistón - Bristol



Media/alta Temperatura R22



Modelo	CV	cm3	Pot. Frigorífica (kW)*	Tensión	PVP
H2EB29SABK	1	55.90	7.20	220/240-1-50	809,68 €
H29B17UABH	1.25	33.42	4.30	220/240-1 50-60	684,43 €
H2EB22SABK	1.50	42.40	5.40	220/240-1-50	717,33 €
H2EB24SABK	1.65	46.60	5.90	220/240-1-50	754,01 €
H29B22UDBL	1.75	42.40	5.70	220/230-3-50-60	1.058,89 €
H29B22UDBV	1.75	42.40	5.70	380/415-3-50-60	1.010,82 €
H29B28UDBL	2.25	50.10	7.10	220/230-3-50-60	1.122,15 €
H29B28UDBV	2.25	50.10	7.00	380/415-3-50-60	1.067,76 €
H29B30UDBL	2.50	52.40	7.70	220/230-3-50-60	1.128,49 €
H29B30UDBV	2.50	52.40	7.50	380/415-3-50-60	1.075,35 €
H29B35UABH	2.75	60.60	8.80	220/240-1 50-60	883,05 €
H29B35UDBL	3	60.60	8.90	220/230-3-50-60	1.143,66 €
H29B35UDBV	3	60.60	8.70	380/415-3-50-60	1.078,35 €
H23A423ABK	3.25	73.80	10.30	220/240-1-50	991,86 €
H23A423DBE	3.25	73.80	10.30	380/415-3-50-60	1.228,42 €
H23A423DBL	3.25	73.80	10.40	220/230-3-50-60	1.290,42 €
H23A463ABK	3.50	80.70	11.50	220/240-1-50	1.055,09 €
H23A463DBE	3.50	80.70	11.40	380/415-3-50-60	1.261,32 €
H23A463DBL	3.50	80.70	11.60	220/230-3-50-60	1.323,31 €
H23A543DBE	4	92.70	13.50	380/415-3-50-60	1.596,58 €
H23A543DBL	4	92.70	13.60	220/230-3-50-60	1.676,27 €
H23A623DBE	5	103.40	15.20	380/415-3-50-60	1.680,07 €
H23A623DBL	5	103.40	15.30	220/230-3-50-60	1.763,57 €
H29A723DBE	6	117.20	18.10	380/415-3-50-60	2.098,82 €
H29A723DBL	6	117.20	18.30	220/230-3-50-60	2.203,84 €
H2NG094GPE	7	172.50	20.50	380/415-3-50-60	4.142,69 €
H2BG094DBD	7.50	167.40	21.20	220/230-3-50-60	3.055,41 €
H2BG094DBE	7.50	167.40	21.20	380/415-3-50-60	2.909,48 €
H2BG104DBD	9	190.50	24.70	220/230-3-50-60	3.502,41 €
H2BG104DBE	9	190.50	24.70	380/415-3-50-60	3.336,76 €
H2NG104GPE	9	196.30	24.80	380/415-3-50-60	4.190,82 €
H2BG124DBD	10	219.49	29.30	220/230-3-50-60	4.058,54 €
H2BG124DBE	10	219.49	28.40	380/415-3-50-60	3.865,28 €
H2NG124GPE	10	235.30	29.10	380/415-3-50-60	4.440,64 €
H25G144DBD	12	246.47	34.20	220/230-3-50-60	4.121,65 €
H25G144DBE	12	246.47	34.20	380/415-3-50-60	3.928,39 €

€ Consultar descuentos

Modelo	CV	cm3	Pot. Frigorífica (kW)*	Tensión	PVP
H2NG184GPE	15	334.80	43.10	380/415-3-50-60	7.617,27 €
H2NG184DPD	15	334.81	43.10	220/230-3-50-60	7.092,91 €
H2NG184DPE	15	334.81	43.10	380/415-3-50-60	6.755,04 €
H2NG204DRE	18	381.00	50.96	380/415-3-50-60	7.447,88 €
H2NG204FRD	18	381.00	50.96	220/230-3-50-60	7.821,27 €
H2NG204GPE	18	381.00	50.90	380/415-3-50-60	7.752,49 €
H2NG244GPE	18	381.00	58.50	380/415-3-50-60	8.064,19 €
H2NG244DRE	20	438.98	58.64	380/415-3-50-60	7.948,79 €
H2NG244FRD	20	438.98	58.64	220/230-3-50-60	8.344,52 €
H2NG294DPE	25	508.11	69.83	380/415-3-50-60	8.570,66 €
H2NG294FPD	25	508.11	69.83	220/230-3-50-60	9.000,57 €

Pot. Frigorífica (kW)*

Condiciones ARI: T^{evaporación}: 7,2°C | T^{condensación}: 54,4°C | T^{líquido}: 46,1°C | T^{retorno gas}: 18,3°C | T^{ambiente}: 35°C

Media/alta Temperatura R407C



Modelo	CV	cm3	Pot. Frigorífica (kW)*	Tensión	PVP
H79B17UABH	1.25	33.42	3.63	220/240-1 50-60	658,84 €
H79B20UABH	1.50	39.60	4.30	220/240-1 50-60	690,51 €
H79B22UDBL	2	42.40	4.96	220/230-3-50-60	1.019,32 €
H79B22UDBV	2	42.40	4.96	380/415-3-50-60	973,03 €
H79B24UABH	2	44.22	5.07	220/240-1 50-60	725,82 €
H79B28UABH	2.25	50.10	6.00	220/240-1 50-60	779,41 €
H79B28UDBL	2.25	50.10	5.98	220/230-3-50-60	1.080,20 €
H79B28UDBV	2.25	50.10	5.97	380/415-3-50-60	1.027,85 €
H79B32UABH	2.50	55.10	6.86	220/240-1 50-60	850,04 €
H79B32UDBL	2.75	55.10	7.10	220/230-3-50-60	1.086,29 €
H79B32UDBV	2.75	55.10	7.00	380/415-3-50-60	1.035,15 €
H79B35UABH	2.75	60.54	7.70	220/240-1 50-60	884,13 €
H79A423DBV	2.90	73.50	9.40	380/415-3-50-60	1.376,32 €
H73A383ABK	3	67.95	8.09	220/240-1-50	903,62 €
H73A383ABK SAE	3	67.95	8.50	220/240-1-50	903,62 €
H73A383DBE	3	67.95	7.84	380/415-3-50-60	1.048,54 €
H73A383DBE SAE	3	67.95	7.84	380/415-3-50-60	1.048,54 €
H73A383DBL	3	67.95	7.99	220/230-3-50-60	1.100,91 €
H73A423ABK	3.25	73.81	8.74	220/240-1-50	954,78 €

€ Consultar descuentos

Modelo	CV	cm3	Pot. Frigorífica (kW)*	Tensión	PVP
H73A423ABK SAE	3.25	73.81	8.74	220/240-1-50	954,78 €
H73A423DBE	3.25	73.81	8.79	380/415-3-50-60	1.182,50 €
H73A423DBE SAE	3.25	73.81	8.79	380/415-3-50-60	1.182,50 €
H73A423DBL	3.25	73.81	8.87	220/230-3-50-60	1.242,18 €
H73A463ABK	3.50	80.71	9.80	220/240-1-50	1.015,65 €
H73A463ABK SAE	3.50	80.71	9.80	220/240-1-50	1.015,65 €
H73A463DBE	3.50	80.71	9.67	380/415-3-50-60	1.214,16 €
H73A463DBE SAE	3.50	80.71	10.10	380/415-3-50-60	1.214,16 €
H73A463DBL	3.50	80.71	9.86	220/230-3-50-60	1.273,84 €
H73A543DBE	4	92.65	11.48	380/415-3-50-60	1.536,89 €
H73A543DBE SAE	4	92.65	11.48	380/415-3-50-60	1.536,89 €
H73A543DBL	4	92.65	11.63	220/230-3-50-60	1.613,61 €
H79A563DBV	4.50	93.40	12.70	380/415-3-50-60	1.624,11 €
H79A623DBV	5	101.30	13.60	380/415-3-50-60	1.665,78 €
H73A623DBE	5	103.35	12.93	380/415-3-50-60	1.617,26 €
H73A623DBE SAE	5	103.35	12.93	380/415-3-50-60	1.617,26 €
H73A623DBL	5	103.35	13.05	220/230-3-50-60	1.697,64 €
H7DA763DBE	6	68.00	16.40	380/415-3-50-60	2.771,31 €
H79A723DBE	6	117.20	17.43	380/415-3-50-60	1.961,51 €
H79A723DBL	6	117.20	17.43	220/230-3-50-60	2.121,44 €
H79A723DBV SAE	6	117.20	17.43	380/415-3-50-60	1.961,51 €
H7DA923DBE	7	80.00	20.30	380/415-3-50-60	2.894,67 €
H7BG094DBD	7.50	167.40	19.56	220/230-3-50-60	2.941,19 €
H7BG094DBE	7.50	167.40	19.56	380/415-3-50-60	2.800,71 €
H7BG094DBE SAE	7.50	167.40	19.56	380/415-3-50-60	2.800,71 €
H7DA114DBE	8	95.00	24.80	380/415-3-50-60	Consultar
H7BG104DBD	9	190.50	21.91	220/230-3-50-60	3.371,48 €
H7BG104DBE	9	190.50	22.85	380/415-3-50-60	3.212,02 €
H7BG104DBE SAE	9	190.50	22.85	380/415-3-50-60	3.308,38 €
H7DA124DBEL	10	103.00	27.10	380/415-3-50-60	3.292,89 €
H7BG124DBD	10	219.49	25.95	220/230-3-50-60	3.906,81 €
H7BG124DBE	10	219.49	26.66	380/415-3-50-60	3.720,78 €
H7BG124DBE SAE	10	219.49	26.66	380/415-3-50-60	3.832,40 €
H75G144DBD	12	246.60	31.47	220/230-3-50-60	3.967,56 €
H75G144DBE	12	246.60	31.47	380/415-3-50-60	3.781,53 €
H75G144DBE SAE	12	246.60	31.47	380/415-3-50-60	3.894,98 €
H7NG184DPD	15	334.90	40.51	220/230-3-50-60	6.827,76 €
H7NG184DPE	15	334.90	40.51	380/415-3-50-60	6.502,50 €

Modelo	CV	cm3	Pot. Frigorífica (kW)*	Tensión	PVP
H7NG184DPE SAE	15	334.90	40.51	380/415-3-50-60	6.697,59 €
H7NG204DRE	18	381.10	46.52	380/415-3-50-60	7.169,46 €
H7NG204DRE SAE	18	381.10	46.52	380/415-3-50-60	7.384,54 €
H7NG204FRD	18	381.10	45.09	220/230-3-50-60	7.528,89 €
H7NG244DRE	20	439.10	54.59	380/415-3-50-60	7.651,64 €
H7NG244DRE SAE	20	439.10	54.59	380/415-3-50-60	7.881,20 €
H7NG244FRD	20	439.10	54.59	220/230-3-50-60	8.032,58 €
H7NG294DPE	25	508.24	62.20	380/415-3-50-60	8.009,95 €
H7NG294DPE SAE	25	508.24	62.20	380/415-3-50-60	8.250,26 €
H7NG294FPD	25	508.24	61.80	220/230-3-50-60	8.664,10 €

Pot. Frigorífica (kW)*

Condiciones ARI: T^{evaporación}: 7,2°C | T^{condensación}: 54,4°C | T^{líquido}: 46,1°C | T^{retorno gas}: 18,3°C | T^{ambiente}: 35°C

Media/alta Temperatura R404A



Modelo	CV	cm3	Pot. Frigorífica (kW)*	Tensión	PVP
H79B17UABH	1.25	33.42	2.66	220/240-1 50-60	658,84 €
H79B20UABH	1.50	39.60	3.14	220/240-1 50-60	690,51 €
H79B22UDBL	2	42.40	3.65	220/230-3-50-60	1.019,32 €
H79B22UDBV	2	42.40	3.65	380/415-3-50-60	973,03 €
H79B24UABH	2	44.22	3.66	220/240-1 50-60	725,82 €
H79B28UABH	2.25	50.10	4.66	220/240-1 50-60	779,41 €
H79B28UDBL	2.25	50.10	4.61	220/230-3-50-60	1.080,20 €
H79B28UDBV	2.25	50.10	4.61	380/415-3-50-60	1.027,85 €
H79B32UABH	2.50	55.10	5.49	220/240-1 50-60	850,04 €
H79B32UDBL	2.75	55.10	5.36	220/230-3-50-60	1.086,29 €
H79B32UDBV	2.75	55.10	5.36	380/415-3-50-60	1.035,15 €
H79B35UABH	2.75	60.54	5.50	220/240-1 50-60	884,13 €
H79A423DBV	2.90	73.50	5.72	380/415-3-50-60	1.376,32 €
H73A383ABK	3	67.95	5.61	220/240-1-50	903,62 €
H73A383ABK SAE	3	67.95	-	220/240-1-50	903,62 €
H73A383DBE	3	67.95	6.10	380/415-3-50-60	1.048,54 €
H73A383DBE SAE	3	67.95	6.10	380/415-3-50-60	1.048,54 €
H73A383DBL	3	67.95	6.10	220/230-3-50-60	1.100,91 €
H73A423ABK	3.25	73.81	6.10	220/240-1-50	954,78 €
H73A423ABK SAE	3.25	73.81	6.10	220/240-1-50	954,78 €

€ Consultar descuentos

Modelo	CV	cm3	Pot. Frigorífica (kW)*	Tensión	PVP
H73A423DBE	3.25	73.81	6.78	380/415-3-50-60	1.182,50 €
H73A423DBE SAE	3.25	73.81	6.78	380/415-3-50-60	1.182,50 €
H73A423DBL	3.25	73.81	6.78	220/230-3-50-60	1.242,18 €
H73A463ABK	3.50	80.71	6.86	220/240-1-50	1.015,65 €
H73A463ABK SAE	3.50	80.71	6.86	220/240-1-50	1.015,65 €
H73A463DBE	3.50	80.71	7.60	380/415-3-50-60	1.214,16 €
H73A463DBE SAE	3.50	80.71	6.14	380/415-3-50-60	1.214,16 €
H73A463DBL	3.50	80.71	7.60	220/230-3-50-60	1.273,84 €
H73A543DBE	4	92.65	9.02	380/415-3-50-60	1.536,89 €
H73A543DBE SAE	4	92.65	9.02	380/415-3-50-60	1.536,89 €
H73A543DBL	4	92.65	9.02	220/230-3-50-60	1.613,61 €
H79A563DBV	4.50	93.40	7.90	380/415-3-50-60	1.624,11 €
H79A623DBV	5	101.30	8.32	380/415-3-50-60	1.665,78 €
H73A623DBE	5	103.35	10.40	380/415-3-50-60	1.617,26 €
H73A623DBE SAE	5	103.35	10.40	380/415-3-50-60	1.617,26 €
H73A623DBL	5	103.35	10.40	220/230-3-50-60	1.697,64 €
H7DA763DBE	6	68.00	10.09	380/415-3-50-60	2.771,31 €
H79A723DBE	6	117.20	12.89	380/415-3-50-60	1.961,51 €
H79A723DBL	6	117.20	12.89	220/230-3-50-60	2.121,44 €
H79A723DBV SAE	6	117.20	12.89	380/415-3-50-60	1.961,51 €
H7DA923DBE	7	80.00	12.17	380/415-3-50-60	2.894,67 €
H7BG094DBD	7.50	167.40	14.13	220/230-3-50-60	2.941,19 €
H7BG094DBE	7.50	167.40	14.13	380/415-3-50-60	2.800,71 €
H7BG094DBE SAE	7.50	167.40	12.48	380/415-3-50-60	2.800,71 €
H7DA114DBE	8	95.00	15.39	380/415-3-50-60	Consultar
H7BG104DBD	9	190.50	16.70	220/230-3-50-60	3.371,48 €
H7BG104DBE	9	190.50	16.70	380/415-3-50-60	3.212,02 €
H7BG104DBE SAE	9	190.50	15.08	380/415-3-50-60	3.308,38 €
H7DA124DBEL	10	103.00	17.26	380/415-3-50-60	3.292,89 €
H7BG124DBD	10	219.49	19.76	220/230-3-50-60	3.906,81 €
H7BG124DBE	10	219.49	19.76	380/415-3-50-60	3.720,78 €
H7BG124DBE SAE	10	219.49	17.89	380/415-3-50-60	3.832,40 €
H75G144DBD	12	246.60	24.18	220/230-3-50-60	3.967,56 €
H75G144DBE	12	246.60	24.18	380/415-3-50-60	3.781,53 €
H75G144DBE SAE	12	246.60	21.32	380/415-3-50-60	3.894,98 €
H7NG184DPD	15	334.90	28.12	220/230-3-50-60	6.827,76 €
H7NG184DPE	15	334.90	28.12	380/415-3-50-60	6.502,50 €
H7NG184DPE SAE	15	334.90	26.00	380/415-3-50-60	6.697,59 €

Modelo	CV	cm3	Pot. Frigorífica (kW)*	Tensión	PVP
H7NG204DRE	18	381.10	34.40	380/415-3-50-60	7.169,46 €
H7NG204DRE SAE	18	381.10	29.95	380/415-3-50-60	7.384,54 €
H7NG204FRD	18	381.10	34.40	220/230-3-50-60	7.528,89 €
H7NG244DRE	20	439.10	40.25	380/415-3-50-60	7.651,64 €
H7NG244DRE SAE	20	439.10	36.71	380/415-3-50-60	7.881,20 €
H7NG244FRD	20	439.10	40.25	220/230-3-50-60	8.032,58 €
H7NG294DPE	25	508.24	49.46	380/415-3-50-60	8.009,95 €
H7NG294DPE SAE	25	508.24	42.54	380/415-3-50-60	8.250,26 €
H7NG294FPD	25	508.24	49.46	220/230-3-50-60	8.664,10 €

Pot. Frigorífica (kW)*

Condiciones Refrigeración: T^{evaporación}: -5°C | T^{condensación}: 45°C | T^{líquido}: 46,7°C | T^{retorno gas}: 20°C | T^{ambiente}: 32°C

Media/alta Temperatura R134a



Modelo	CV	cm3	Pot. Frigorífica (kW)*	Tensión	PVP
H79B17UABH	1.25	33.42	2.36	220/240-1 50-60	658,84 €
H79B20UABH	1.50	39.60	2.80	220/240-1 50-60	690,51 €
H79B22UDBL	2	42.40	3.22	220/230-3-50-60	1.019,32 €
H79B22UDBV	2	42.40	3.22	380/415-3-50-60	973,03 €
H79B24UABH	2	44.22	3.30	220/240-1 50-60	725,82 €
H79B28UABH	2.25	50.10	3.90	220/240-1 50-60	779,41 €
H79B28UDBL	2.25	50.10	3.89	220/230-3-50-60	1.080,20 €
H79B28UDBV	2.25	50.10	3.89	380/415-3-50-60	1.027,85 €
H79B32UABH	2.50	55.10	4.46	220/240-1 50-60	850,04 €
H79B32UDBL	2.75	55.10	4.61	220/230-3-50-60	1.086,29 €
H79B32UDBV	2.75	55.10	4.55	380/415-3-50-60	1.035,15 €
H79B35UABH	2.75	60.54	5.00	220/240-1 50-60	884,13 €
H79A423DBV	2.90	73.50	6.11	380/415-3-50-60	1.376,32 €
H73A383ABK	3	67.95	5.26	220/240-1-50	903,62 €
H73A383ABK SAE	3	67.95	-	220/240-1-50	903,62 €
H73A383DBE	3	67.95	5.10	380/415-3-50-60	1.048,54 €
H73A383DBE SAE	3	67.95	5.10	380/415-3-50-60	1.048,54 €
H73A383DBL	3	67.95	5.19	220/230-3-50-60	1.100,91 €
H73A423ABK	3.25	73.81	5.68	220/240-1-50	954,78 €
H73A423ABK SAE	3.25	73.81	5.68	220/240-1-50	954,78 €
H73A423DBE	3.25	73.81	5.71	380/415-3-50-60	1.182,50 €

€ Consultar descuentos

Modelo	CV	cm3	Pot. Frigorífica (kW)*	Tensión	PVP
H73A423DBE SAE	3.25	73.81	5.71	380/415-3-50-60	1.182,50 €
H73A423DBL	3.25	73.81	5.77	220/230-3-50-60	1.242,18 €
H73A463ABK	3.50	80.71	6.37	220/240-1-50	1.015,65 €
H73A463ABK SAE	3.50	80.71	6.37	220/240-1-50	1.015,65 €
H73A463DBE	3.50	80.71	6.29	380/415-3-50-60	1.214,16 €
H73A463DBE SAE	3.50	80.71	-	380/415-3-50-60	1.214,16 €
H73A463DBL	3.50	80.71	6.41	220/230-3-50-60	1.273,84 €
H73A543DBE	4	92.65	7.46	380/415-3-50-60	1.536,89 €
H73A543DBE SAE	4	92.65	7.46	380/415-3-50-60	1.536,89 €
H73A543DBL	4	92.65	7.56	220/230-3-50-60	1.613,61 €
H79A563DBV	4.50	93.40	-	380/415-3-50-60	1.624,11 €
H79A623DBV	5	101.30	-	380/415-3-50-60	1.665,78 €
H73A623DBE	5	103.35	8.40	380/415-3-50-60	1.617,26 €
H73A623DBE SAE	5	103.35	8.40	380/415-3-50-60	1.617,26 €
H73A623DBL	5	103.35	8.48	220/230-3-50-60	1.697,64 €
H7DA763DBE	6	68.00	-	380/415-3-50-60	2.771,31 €
H79A723DBE	6	117.20	11.33	380/415-3-50-60	1.961,51 €
H79A723DBL	6	117.20	11.38	220/230-3-50-60	2.121,44 €
H79A723DBV SAE	6	117.20	11.33	380/415-3-50-60	1.961,51 €
H7DA923DBE	7	80.00	-	380/415-3-50-60	2.894,67 €
H7BG094DBD	7.50	167.40	12.71	220/230-3-50-60	2.941,19 €
H7BG094DBE	7.50	167.40	12.71	380/415-3-50-60	2.800,71 €
H7BG094DBE SAE	7.50	167.40	-	380/415-3-50-60	2.800,71 €
H7DA114DBE	8	95.00	-	380/415-3-50-60	Consultar
H7BG104DBD	9	190.50	14.24	220/230-3-50-60	3.371,48 €
H7BG104DBE	9	190.50	14.85	380/415-3-50-60	3.212,02 €
H7BG104DBE SAE	9	190.50	-	380/415-3-50-60	3.308,38 €
H7DA124DBEL	10	103.00	-	380/415-3-50-60	3.292,89 €
H7BG124DBD	10	219.49	16.87	220/230-3-50-60	3.906,81 €
H7BG124DBE	10	219.49	17.33	380/415-3-50-60	3.720,78 €
H7BG124DBE SAE	10	219.49	-	380/415-3-50-60	3.832,40 €
H75G144DBD	12	246.60	20.46	220/230-3-50-60	3.967,56 €
H75G144DBE	12	246.60	20.46	380/415-3-50-60	3.781,53 €
H75G144DBE SAE	12	246.60	-	380/415-3-50-60	3.894,98 €
H7NG184DPD	15	334.90	26.33	220/230-3-50-60	6.827,76 €
H7NG184DPE	15	334.90	26.33	380/415-3-50-60	6.502,50 €
H7NG184DPE SAE	15	334.90	-	380/415-3-50-60	6.697,59 €
H7NG204DRE	18	381.10	30.24	380/415-3-50-60	7.169,46 €

Modelo	CV	cm3	Pot. Frigorífica (kW)*	Tensión	PVP
H7NG204DRE SAE	18	381.10	-	380/415-3-50-60	7.384,54 €
H7NG204FRD	18	381.10	29.31	220/230-3-50-60	7.528,89 €
H7NG244DRE	20	439.10	35.48	380/415-3-50-60	7.651,64 €
H7NG244DRE SAE	20	439.10	-	380/415-3-50-60	7.881,20 €
H7NG244FRD	20	439.10	35.48	220/230-3-50-60	8.032,58 €
H7NG294DPE	25	508.24	40.43	380/415-3-50-60	8.009,95 €
H7NG294DPE SAE	25	508.24	-	380/415-3-50-60	8.250,26 €
H7NG294FPD	25	508.24	40.17	220/230-3-50-60	8.664,10 €

Pot. Frigorífica (kW)*

Condiciones ARI: T^aevaporacion: 7,2°C | T^acondensacion: 54,4°C | T^alíquido: 46,1°C | T^aretorno gas: 18,3°C | T^aambiente: 35°C

Media/alta Temperatura R410A



Modelo	CV	cm3	Pot. Frigorífica (kW)*	Tensión	PVP
H82J323ABH	2	40.00	7.90	220/240-1 50-60	Consultar
H82J353DBV	2	44.00	8.70	380/415-3-50-60	1.003,75 €
H82J443DBV	3	53.00	11.00	380/415-3-50-60	1.076,82 €

Pot. Frigorífica (kW)*

Condiciones ARI: T^aevaporacion: 7,2°C | T^acondensacion: 54,4°C | T^alíquido: 46,1°C | T^aretorno gas: 18,3°C | T^aambiente: 35°C

Media Temperatura R407C



Modelo	CV	cm3	Tensión	PVP
R92J383ABK	0	63.00	220/240-1-50	739,18 €
R92J183ABK	1.50	35.13	220/240-1-50	580,79 €
R92J223ABK	1.75	41.44	220/240-1-50	615,25 €
R92J223DBV	1.75	41.44	380/415-3-50-60	782,09 €
R92J253ABK	2	45.31	220/240-1-50	658,22 €
R92J343DBV	3	57.86	380/415-3-50-60	830,74 €
R92J433DBV	3.25	70.63	380/415-3-50-60	855,05 €
R92J433ABK	3.50	70.63	220/240-1-50	802,55 €

Media Temperatura R404A



€ Consultar descuentos

Modelo	CV	cm3	Pot. Frigorífica (kW)*	Tensión	PVP
R92J383ABK	0	63.00	5.30	220/240-1-50	739,18 €
R92J183ABK	1.50	35.13	2.10	220/240-1-50	580,79 €
R92J223ABK	1.75	41.44	2.70	220/240-1-50	615,25 €
R92J223DBV	1.75	41.44	2.70	380/415-3-50-60	782,09 €
R92J253ABK	2	45.31	3.40	220/240-1-50	658,22 €
R92J343DBV	3	57.86	4.40	380/415-3-50-60	830,74 €
R92J433DBV	3.25	70.63	5.70	380/415-3-50-60	855,05 €
R92J433ABK	3.50	70.63	5.70	220/240-1-50	802,55 €

Pot. Frigorífica (kW)*

Condiciones Refrigeración: T^{evaporación}: -5°C | T^{condensación}: 45°C | T^{líquido}: 46,7°C | T^{retorno gas}: 20°C | T^{ambiente}: 32°C

Baja Temperatura R404A



Modelo	CV	cm3	Pot. Frigorífica (kW)*	Tensión	PVP
L63B562BBK	1	34.80	0.70	220/240-1-50	559,33 €
L63B562DBL	1	34.80	0.80	220/230-3-50-60	1.113,77 €
L63B562DBV	1	34.80	0.80	380/415-3-50-60	625,51 €
L63B652BBK	1.25	46.20	1.10	220/240-1-50	598,62 €
L63B652DBL	1.25	46.20	1.10	220/230-3-50-60	1.118,50 €
L63B652DBV	1.25	46.20	1.10	380/415-3-50-60	716,63 €
L63B752BBK	1.50	48.60	1.20	220/240-1-50	636,62 €
L63B752DBL	1.50	48.60	1.20	220/230-3-50-60	1.099,59 €
L63B752DBV	1.50	48.60	1.20	380/415-3-50-60	721,29 €
L63A113BBK	2	66.30	1.90	220/240-1-50	974,29 €
L63A113DBE	2	66.30	1.80	380/415-3-50-60	948,45 €
L63A113DBL	2	66.30	1.80	220/230-3-50-60	1.252,11 €
L63A183BBK	3	101.10	3.40	220/240-1-50	994,18 €
L63A183DBD	3	101.10	3.30	220/230-3-50-60	1.279,30 €
L63A183DBE	3	101.10	3.30	380/415-3-50-60	979,46 €

Pot. Frigorífica (kW)*

Condiciones ARI LOW: T^{evaporación}: -23,3°C | T^{condensación}: 48,9°C | T^{líquido}: 48,9°C | T^{retorno gases}: 4,4°C | T^{ambiente}: 35°C

Bomba de Calor y A.A R407C



€ Consultar descuentos

Modelo	CV	cm3	Tensión	PVP
H71J193ABH	1	35.00	220/240-1 50-60	761,14 €
H71J223ABK	2	41.60	220/240-1-50	797,67 €
H71J233DBV	2	42.80	380/415-3-50-60	1.094,82 €
H71J253DBV	2	45.30	380/415-3-50-60	1.133,79 €
H71J273ABK	2.25	47.80	220/240-1-50	901,19 €
H71J323ABK	2.50	53.20	220/240-1-50	966,94 €
H71J323DBV	2.50	53.20	380/415-3-50-60	1.150,84 €
H71J363DBV	3	60.10	380/415-3-50-60	1.188,59 €
H71J383ABK	3	63.60	220/240-1-50	976,69 €
H71J383DBV	3.25	63.60	380/415-3-50-60	1.216,61 €
H71J433DBV	3.50	70.60	380/415-3-50-60	1.245,83 €

Bomba de Calor y A.A R404A



Modelo	CV	cm3	Tensión	PVP
H71J193ABH	1	35.00	220/240-1 50-60	761,14 €
H71J223ABK	2	41.60	220/240-1-50	797,67 €
H71J233DBV	2	42.80	380/415-3-50-60	1.094,82 €
H71J253DBV	2	45.30	380/415-3-50-60	1.133,79 €
H71J273ABK	2.25	47.80	220/240-1-50	901,19 €
H71J323ABK	2.50	53.20	220/240-1-50	966,94 €
H71J323DBV	2.50	53.20	380/415-3-50-60	1.150,84 €
H71J363DBV	3	60.10	380/415-3-50-60	1.188,59 €
H71J383ABK	3	63.60	220/240-1-50	976,69 €
H71J383DBV	3.25	63.60	380/415-3-50-60	1.216,61 €
H71J433DBV	3.50	70.60	380/415-3-50-60	1.245,83 €

Bomba de Calor y A.A R134a



Modelo	CV	cm3	Tensión	PVP
H71J193ABH	1	35.00	220/240-1 50-60	761,14 €
H71J223ABK	2	41.60	220/240-1-50	797,67 €
H71J233DBV	2	42.80	380/415-3-50-60	1.094,82 €
H71J253DBV	2	45.30	380/415-3-50-60	1.133,79 €
H71J273ABK	2.25	47.80	220/240-1-50	901,19 €
H71J323ABK	2.50	53.20	220/240-1-50	966,94 €
H71J323DBV	2.50	53.20	380/415-3-50-60	1.150,84 €

€ Consultar descuentos

Modelo	CV	cm3	Tensión	PVP
H71J363DBV	3	60.10	380/415-3-50-60	1.188,59 €
H71J383ABK	3	63.60	220/240-1-50	976,69 €
H71J383DBV	3.25	63.60	380/415-3-50-60	1.216,61 €
H71J433DBV	3.50	70.60	380/415-3-50-60	1.245,83 €

Bomba de Calor y A.A R410A



Modelo	CV	cm3	Tensión	PVP
H82J153ABH	1.25	22.00	220/240-1 50-60	722,44 €
H82J183ABH	1.50	25.00	220/240-1 50-60	728,61 €
H82J223ABH	2	30.00	220/240-1 50-60	738,05 €
H82J263DBV	2.25	34.00	380/415-3-50-60	908,52 €
H82J283ABH	2.25	36.00	220/240-1 50-60	817,45 €
H82J323DBV	2.50	40.00	380/415-3-50-60	Consultar
H82J403DBV	3.25	49.00	380/415-3-50-60	Consultar

Bomba de calor Inverter R410A



Modelo	CV	cm3	Tensión	PVP
V80J183MB2	1	27.00	220/230-3-50-60	Consultar
V80J303MB2	2	40.00	220/230-3-50-60	Consultar
V80J403MB2	3	0.00	220/230-3-50-60	Consultar
V80J503MB2	4	0.00	220/230-3-50-60	Consultar