

Compresores Semi-herméticos Pistón - Bock



Semi-hermetic Piston | Single Stage Compressors

HG	X	x	x	P / xxx	- x	S	
Series	Refrigerant. Ester Oil Filling	Size	Number of Cylinders	Pluscom	Displacement	Pole Number	Variant motor

Semi-hermetic Piston | CO2 Compressors

HG	X	x	x	P / xxx	- x	S	
Series	Refrigerant. Ester Oil Filling	Size	Number of Cylinders	Pluscom	Displacement	Pole Number	CO2 Version

F	X	xx	/	xxxx
Series	Refrigerant. Ester Oil Filling	Size		Displacement

Media/alta Temperatura R407C



Modelo	CV	m3/h	Pot. Frigorífica (kW)*	Tensión	PVP
HGX12P/60-4S	2	5.40	2.63	380/420-3-50	1.328,68 €
HGX12P/75-4	2	6.70	3.39	380/420-3-50	1.328,68 €
HGX22P/125-4	2	11.10	5.60	380/420-3-50	1.903,50 €
HGX12P/75-4S	2.40	6.70	3.39	380/420-3-50	1.354,23 €
HGX12P/90-4	2.40	8.00	4.05	380/420-3-50	1.354,23 €
HGX12P/110-4	3	9.40	4.76	380/420-3-50	1.412,71 €
HGX12P/110-4S	3	9.40	4.76	380/420-3-50	1.473,59 €
HGX12P/90-4S	3	8.00	4.05	380/420-3-50	1.412,71 €
HGX22P/125-4S	3	11.10	5.60	380/420-3-50	2.047,21 €
HGX22P/160-4	3	13.70	6.91	380/420-3-50	1.977,78 €
HGX22P/190-4	3	16.50	8.36	380/420-3-50	2.047,21 €
HGX22P/160-4S	4	13.70	6.91	380/420-3-50	2.060,60 €
HGX22P/190-4S	4	16.50	8.36	380/420-3-50	2.134,83 €
HGX34P/215-4	4	18.80	9.40	380/420-3-50	2.282,25 €
HGX34P/255-4	4	22.10	11.20	380/420-3-50	2.333,39 €
HGX34P/215-4S	5.40	18.80	9.40	380/420-3-50	2.479,53 €
HGX34P/255-4S	5.40	22.10	11.20	380/420-3-50	2.551,39 €
HGX34P/315-4	5.40	27.30	13.85	380/420-3-50	2.735,28 €
HGX34P/380-4	5.40	33.10	17.20	380/420-3-50	3.100,64 €
HGX34P/315-4S	7.50	27.30	14.15	380/420-3-50	2.879,00 €
HGX34P/380-4S	7.50	33.10	16.73	380/420-3-50	3.276,01 €
HGX4/465-4	7.50	40.50	20.53	380/420-3-50	4.076,14 €
HGX4/555-4	10	48.20	25.35	380/420-3-50	4.306,32 €
HGX4/465-4S	12.50	40.50	21.52	380/420-3-50	4.196,70 €
HGX4/650-4	13	56.60	30.17	380/420-3-50	5.062,60 €
HGX5/725-4	13	62.90	34.25	380/420-3-50	5.955,27 €
HGX4/555-4S	15	48.20	25.54	380/420-3-50	4.380,23 €
HGX5/830-4	15	72.20	39.32	380/420-3-50	6.044,17 €
HGX4/650-4S	20	56.60	30.35	380/420-3-50	5.062,60 €
HGX5/945-4	20	82.20	44.73	380/420-3-50	6.374,20 €
HGX5/725-4S	22	62.90	34.25	380/420-3-50	6.145,26 €
HGX6/1080-4	22	93.70	51.10	380/420-3-50	7.469,07 €
HGX5/830-4S	25	72.20	39.32	380/420-3-50	6.292,61 €
HGX6/1240-4	25	107.60	58.66	380/420-3-50	7.610,33 €
HGX5/945-4S	30	82.20	44.73	380/420-3-50	6.623,89 €
HGX6/1410-4	30	122.40	66.75	380/420-3-50	8.095,03 €

€ Consultar descuentos

Modelo	CV	m3/h	Pot. Frigorífica (kW)*	Tensión	PVP
HGX6/1080-4S	33	93.70	51.10	380/420-3-50	7.629,82 €
HGX6/1240-4S	35	107.60	58.66	380/420-3-50	7.717,51 €
HGX6/1410-4S	40	122.40	66.75	380/420-3-50	8.238,74 €
HGX7/1620-4	40	140.60	72.56	380/420-3-50	9.578,66 €
HGX7/1860-4	40	161.40	83.29	380/420-3-50	10.105,69 €
HGX7/1620-4S	50	140.60	72.56	380/420-3-50	9.779,32 €
HGX7/1860-4S	50	161.40	83.29	380/420-3-50	10.246,97 €
HGX7/2110-4	50	183.60	94.77	380/420-3-50	10.911,92 €
HGX7/2110-4S	60	183.60	94.77	380/420-3-50	11.740,04 €
HGX8/2470-4S	70	214.30	111.67	380/420-3-50	15.886,82 €
HGX8/2830-4	70	245.90	128.20	380/420-3-50	16.517,67 €
HGX8/2830-4S	80	245.90	128.20	380/420-3-50	16.831,87 €
HGX8/3220-4	80	279.80	145.86	380/420-3-50	18.096,00 €
HGX8/3220-4S	90	279.80	145.86	380/420-3-50	18.411,41 €

Pot. Frigorífica (kW)*

Condiciones Refrigeración: T^{evaporación}: -5°C | T^{condensación}: 45°C | T^{líquido}: 46,7°C | T^{retorno gas}: 20°C | T^{ambiente}: 32°C

Media/alta Temperatura R404A



Modelo	CV	m3/h	Pot. Frigorífica (kW)*	Tensión	PVP
HGX12P/60-4S	2	5.40	3.09	380/420-3-50	1.328,68 €
HGX12P/75-4	2	6.70	4.02	380/420-3-50	1.328,68 €
HGX22P/125-4	2	11.10	6.58	380/420-3-50	1.903,50 €
HGX12P/75-4S	2.40	6.70	3.97	380/420-3-50	1.354,23 €
HGX12P/90-4	2.40	8.00	4.68	380/420-3-50	1.354,23 €
HGX12P/110-4	3	9.40	5.57	380/420-3-50	1.412,71 €
HGX12P/110-4S	3	9.40	5.52	380/420-3-50	1.473,59 €
HGX12P/90-4S	3	8.00	4.76	380/420-3-50	1.412,71 €
HGX22P/125-4S	3	11.10	6.51	380/420-3-50	2.047,21 €
HGX22P/160-4	3	13.70	8.04	380/420-3-50	1.977,78 €
HGX22P/190-4	3	16.50	9.70	380/420-3-50	2.047,21 €
HGX22P/160-4S	4	13.70	7.99	380/420-3-50	2.060,60 €
HGX22P/190-4S	4	16.50	9.99	380/420-3-50	2.134,83 €
HGX34P/215-4	4	18.80	10.38	380/420-3-50	2.282,25 €
HGX34P/255-4	4	22.10	12.54	380/420-3-50	2.333,39 €
HGX34P/215-4S	5.40	18.80	10.95	380/420-3-50	2.479,53 €

€ Consultar descuentos

Modelo	CV	m3/h	Pot. Frigorífica (kW)*	Tensión	PVP
HGX34P/255-4S	5.40	22.10	13.12	380/420-3-50	2.551,39 €
HGX34P/315-4	5.40	27.30	15.75	380/420-3-50	2.735,28 €
HGX34P/380-4	5.40	33.10	19.16	380/420-3-50	3.100,64 €
HGX34P/315-4S	7.50	27.30	16.15	380/420-3-50	2.879,00 €
HGX34P/380-4S	7.50	33.10	19.49	380/420-3-50	3.276,01 €
HGX4/465-4	7.50	40.50	23.91	380/420-3-50	4.076,14 €
HGX4/555-4	10	48.20	29.29	380/420-3-50	4.306,32 €
HGX4/465-4S	12.50	40.50	24.33	380/420-3-50	4.196,70 €
HGX4/650-4	13	56.60	34.63	380/420-3-50	5.062,60 €
HGX5/725-4	13	62.90	36.31	380/420-3-50	5.955,27 €
HGX4/555-4S	15	48.20	29.03	380/420-3-50	4.380,23 €
HGX5/830-4	15	72.20	41.27	380/420-3-50	6.044,17 €
HGX4/650-4S	20	56.60	24.33	380/420-3-50	5.062,60 €
HGX5/945-4	20	82.20	47.80	380/420-3-50	6.374,20 €
HGX5/725-4S	22	62.90	36.80	380/420-3-50	6.145,26 €
HGX6/1080-4	22	93.70	56.39	380/420-3-50	7.469,07 €
HGX5/830-4S	25	72.20	43.00	380/420-3-50	6.292,61 €
HGX6/1240-4	25	107.60	64.72	380/420-3-50	7.610,33 €
HGX5/945-4S	30	82.20	48.97	380/420-3-50	6.623,89 €
HGX6/1410-4	30	122.40	71.77	380/420-3-50	8.095,03 €
HGX6/1080-4S	33	93.70	56.04	380/420-3-50	7.629,82 €
HGX6/1240-4S	35	107.60	65.61	380/420-3-50	7.717,51 €
HGX6/1410-4S	40	122.40	73.17	380/420-3-50	8.238,74 €
HGX7/1620-4	40	140.60	81.72	380/420-3-50	9.578,66 €
HGX7/1860-4	40	161.40	91.16	380/420-3-50	10.105,69 €
HGX7/1620-4S	50	140.60	81.57	380/420-3-50	9.779,32 €
HGX7/1860-4S	50	161.40	92.55	380/420-3-50	10.246,97 €
HGX7/2110-4	50	183.60	103.18	380/420-3-50	10.911,92 €
HGX7/2110-4S	60	183.60	103.30	380/420-3-50	11.740,04 €
HGX8/2470-4S	70	214.30	124.77	380/420-3-50	15.886,82 €
HGX8/2830-4	70	245.90	141.87	380/420-3-50	16.517,67 €
HGX8/2830-4S	80	245.90	140.97	380/420-3-50	16.831,87 €
HGX8/3220-4	80	279.80	156.42	380/420-3-50	18.096,00 €
HGX8/3220-4S	90	279.80	156.91	380/420-3-50	18.411,41 €

Pot. Frigorífica (kW)*

Condiciones Refrigeración: T^aevaporación: -5°C | T^acondensación: 45°C | T^alíquido: 46,7°C | T^aretorno gas: 20°C | T^aambiente: 32°C

Media/alta Temperatura R134a



Modelo	CV	m3/h	Pot. Frigorífica (kW)*	Tensión	PVP
HGX12P/60-4S	2	5.40	2.18	380/420-3-50	1.328,68 €
HGX12P/75-4	2	6.70	2.27	380/420-3-50	1.328,68 €
HGX22P/125-4	2	11.10	4.50	380/420-3-50	1.903,50 €
HGX12P/90-4	2.40	8.00	3.27	380/420-3-50	1.354,23 €
HGX12P/110-4	3	9.40	3.82	380/420-3-50	1.412,71 €
HGX22P/160-4	3	13.70	5.55	380/420-3-50	1.977,78 €
HGX22P/190-4	3	16.50	6.75	380/420-3-50	2.047,21 €
HGX34P/215-4	4	18.80	7.35	380/420-3-50	2.282,25 €
HGX34P/255-4	4	22.10	8.84	380/420-3-50	2.333,39 €
HGX34P/315-4	5.40	27.30	10.85	380/420-3-50	2.735,28 €
HGX34P/380-4	5.40	33.10	13.60	380/420-3-50	3.100,64 €
HGX4/465-4	7.50	40.50	17.62	380/420-3-50	4.076,14 €
HGX4/555-4	10	48.20	20.97	380/420-3-50	4.306,32 €
HGX4/650-4	13	56.60	24.62	380/420-3-50	5.062,60 €
HGX5/725-4	13	62.90	27.40	380/420-3-50	5.955,27 €
HGX5/830-4	15	72.20	31.45	380/420-3-50	6.044,17 €
HGX5/945-4	20	82.20	35.78	380/420-3-50	6.374,20 €
HGX6/1080-4	22	93.70	41.01	380/420-3-50	7.469,07 €
HGX6/1240-4	25	107.60	47.15	380/420-3-50	7.610,33 €
HGX6/1410-4	30	122.40	53.64	380/420-3-50	8.095,03 €
HGX7/1620-4	40	140.60	58.17	380/420-3-50	9.578,66 €
HGX7/1860-4	40	161.40	66.77	380/420-3-50	10.105,69 €
HGX7/2110-4	50	183.60	75.98	380/420-3-50	10.911,92 €
HGX8/2830-4	70	245.90	99.63	380/420-3-50	16.517,67 €
HGX8/3220-4	80	279.80	113.35	380/420-3-50	18.096,00 €

Pot. Frigorífica (kW)*

Condiciones: T^aevaporación: 0°C | T^acondensación: 50°C | T^aretorno gas: 20°C | T^aambiente: 32°C

Baja Temperatura R404A



Modelo	CV	m3/h	Pot. Frigorífica (kW)*	Tensión	PVP
HAX12P/60-4	2	5.40	1.05	380/420-3-50	1.563,72 €
HAX12P/75-4	2.40	6.70	1.30	380/420-3-50	1.563,72 €
HAX12P/90-4	2.70	8.00	1.50	380/420-3-50	1.594,17 €
HAX12P/110-4	3	9.40	1.89	380/420-3-50	1.662,38 €

Consultar descuentos

Modelo	CV	m3/h	Pot. Frigorífica (kW)*	Tensión	PVP
HAX22P/125-4	4	11.10	2.21	380/420-3-50	2.199,43 €
HAX34P/215-4	5	18.80	3.76	380/420-3-50	2.752,34 €
HAX22P/160-4	5.40	13.70	2.73	380/420-3-50	2.274,94 €
HAX22P/190-4	5.40	16.50	3.30	380/420-3-50	2.346,80 €
HAX34P/255-4	5.50	22.10	4.42	380/420-3-50	2.802,27 €
HAX34P/315-4	6	27.30	5.46	380/420-3-50	3.371,00 €
HAX34P/380-4	6	33.10	6.61	380/420-3-50	3.669,39 €
HAX4/465-4	8	40.50	8.73	380/420-3-50	5.011,44 €
HAX4/555-4	10	48.20	10.34	380/420-3-50	5.359,75 €
HAX4/650-4	13	56.60	11.88	380/420-3-50	5.919,97 €
HAX5/725-4	17	62.90	12.48	380/420-3-50	6.689,63 €
HAX5/830-4	17	72.20	14.16	380/420-3-50	6.857,70 €
HAX5/945-4	20	82.20	16.38	380/420-3-50	7.213,32 €
HAX6/1080-4	22	93.70	19.65	380/420-3-50	8.326,43 €
HAX6/1240-4	25	107.60	22.69	380/420-3-50	8.417,77 €
HAX6/1410-4	30	122.40	25.15	380/420-3-50	8.931,69 €

Pot. Frigorífica (kW)*

Condiciones LOW: T^{evaporacion}: -30C | T^{condensacion}: 45°C | T^{líquido}: 32°C | T^{retorno gases}: 20°C | T^{ambiente}: 32C