



UNIDADES CONDENSADORAS CENTRIFUGAS CENTRIFUGAL CONDENSING UNITS

SEMIHERMÉTICOS
SEMI-HERMETIC

R-134a

	CÓDIGO CODE	UNIDAD COND. CONDENSING UNIT	PVP RRP €	CONDENSADOR CONDENSER	RECIPIENTE RECEIVER (100%) L.	Rendimientos T° Ambiente +36C			
						5°C	0°C	-5°C	-10°C
COMP. REF. AIRE	702.0011.02	CT-07K5.2X	3.805	066.0302.01	3,00	1995	1680	1380	1160
	702.0016.01	CT-1K7.2X	3.803	066.0302.01	3,00	3250	2735	2275	1860
	702.0022.02	CT-1,5K9.2X	3.960	066.0304.01	5,00	4750	3975	3280	2575
	702.0031.02	CT-2L13.2X	4.541	066.0305.01	5,00	6250	5300	4415	3545
	702.0037.01	CT-3L19.2X	5.929	066.0307.01	7,00	9400	8010	6700	5430
	702.0058.01	CT-4L23.2X	5.983	066.0308.01	11,00	11390	9650	8170	6755
C. REF. ASP.	702.0086.01	CT-6MR27.2X	8.595	066.0309.01	15,00	13490	11570	9750	7950
	702.0091.01	CT-6GR31.3X	10.041	066.0309.01	15,00	14965	12880	10870	8970
	702.0107.01	CT-8GR39.3X	9.133	066.0310.01	15,00	18665	15980	13525	11225
	702.0117.01	CT-10GR50.3X	10.676	066.0311.01	30,00	23830	10450	17265	14325
	702.0120.01	CT-12GR60.3X	11.755	066.0320.01	30,00	31075	26650	22530	18760

R-404A / R-507A / R-448A

	CÓDIGO CODE	UNIDAD COND. CONDENSING UNIT	PVP RRP €	CONDENSADOR CONDENSER	RECIPIENTE RECEIVER (100%) L.	Rendimientos T° Ambiente.+36°C			
						-5°C	-10°C	-25°C	-35°C
COMPR. REFR. POR AIRE	702.0011.02	CT-07K5.2X	3.805	066.0302.01	3,00			1195	745
	702.0015.02	CT-1K5.2X	3.801	066.0304.01	3,00	2937	2463	1190	742
	702.0016.02	CT-1K7.2X	3.850	066.0304.01	3,00			1743	1105
	702.0020.02	CT-1,5K7.2X	3.950	066.0304.01	5,00	3983	3355	1718	1009
	702.0022.02	CT-1,5K9.2X	3.961	066.0304.01	5,00			2320	1150
	702.0026.02	CT-2K9.2X	3.996	066.0304.01	5,00	5360	4457	2055	1122
	702.0031.02	CT-2L13.2X	4.887	066.0305.01	5,00			3386	1785
	702.0035.02	CT-3L13.2X	5.929	066.0307.01	7,00	8160	6890	3165	1750
	702.0055.02	CT-4L17.2X	5.990	066.0308.01	11,00	10812	9098	4768	2464
	702.0057.02	CT-4L23.2X	5.974	066.0307.01	11,00			5535	3440
COMPR. REFR. GAS ASP.	702.0075.02	CT-5L23.2X	6.868	066.0309.01	11,00	13448	11342	5480	3230
	702.0085.02	CT-6MR27.2X	7.248	066.0307.01	15,00			6955	4792
	702.0100.02	CT-7MR27.2X	8.754	066.0310.01	15,00	15335	13092	6943	4485
	702.0105.02	CT-8GR31.3X	10.693	066.0311.01	15,00	19227	16014	7988	4896
	702.0106.02	CT-8GR39.3X	8.039	066.0308.01	15,00			9446	5472
	702.0115.02	CT-10GR39.3X	11.710	066.0313.01	30,00	21063	17574	9446	5472
	702.0116.02	CT-10GR50.3X	9.652	066.0310.01	30,00			12400	6750
	702.0120.02	CT-12GR60.3X	10.762	066.0311.01	30,00			14220	8580
702.0125.02	CT-15GR50.3X	14.419	066.0322.01	30,00	31824	26851	12400	6750	
702.0130.02	CT-18GR60.3X	15.118	066.0322.01	30,00	39255	32765	14220	8580	

Todas las unidades se suministran con presostato AyB, filtro deshidratador y visor de líquido. Opciones: aislamiento acústico, posición mueble horizontal o vertical, descarga del aire frontal, lateral o superior.

All units supplied with H/L pressures switch, filter drier and sight glass. Optional: acustical isolating, horizontal or vertical frame position, front-side-top air flow direction.

**UNIDADES CONDENSADORAS AIRE CENTRIFUGAS
CON COMPRESORES 4 CILINDROS V
CENTRIFUGAL AIR CONDENSING UNITS
WITH 4 CYLINDER COMPRESSORS V**

KOBOL.



SEMIHERMÉTICOS
SEMI-HERMETIC

R-134a

	CÓDIGO CODE	UNIDAD COND. CONDENSING UNIT	PVP RRP €	CONDENSADOR CONDENSER	RECIPIENTE RECEIVER (100%) L.	Rendimientos Tª Ambiente. +36C			
						5°C	0°C	-5°C	-10°C
COMPR. REFR. GAS DE ASPIRACIÓN	702.0082.01	CT -5VLR26.4X	8.418	066.0309.01	11,00	14175	11709	9520	7280
	702.0082.11	CT -5VLR29.4X	8.422	066.0309.01	11,00	15895	13132	10675	8165
	702.0098.21	CT -7VLR33.4X	8.404	066.0309.01	15,00	18385	15345	12635	9855
	702.0098.31	CT -7VLR38.4X	8.558	066.0310.01	15,00	20938	17410	14280	11060

R-404A / R-507A / R-448A

	CÓDIGO CODE	UNIDAD COND. CONDENSING UNIT	PVP RRP €	CONDENSADOR CONDENSER	RECIPIENTE RECEIVER (100%) L.	Rendimientos Tª Ambiente. +36°C			
						-5°C	-10°C	-25°C	-35°C
COMPR. REFR. GAS DE ASPIRACIÓN	702.0082.02	CT-5VLR26.4X	6.800	066.0307.01	11,00		13897	6898	4280
	702.0098.02	CT-7VLR26.4X	8.524	066.0310.01	15,00	1668	13960	6892	4185
	702.0082.12	CT-5VLR29.4X	6.802	066.0307.01	11,00		15030	7595	4752
	702.0098.12	CT-7VLR29.4X	10.051	066.0311.01	15,00	18245	15610	7480	4700
	702.0098.22	CT-7VLR33.4X	6.542	066.0310.01	15,00	19538	16570	8185	5165
	702.0112.02	CT-10VLR33.4X	10.079	066.0311.01	30,00	19665	16675	8140	5080
	702.0098.32	CT-7VLR38.4X	6.813	066.0308.01	15,00		19205	9480	6000
	702.0112.12	CT-10VLR38.4X	11.166	066.0313.01	30,00	22615	19310	9455	5915